

according to Regulation (EC) No 1907/2006

Eli-Chem Alcohol Ink - Gold

Revision Date: 17.12.2021 Revision: 1

Supersedes Date: N/A

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Eli-Chem Alcohol Ink - Gold

Further trade names

UFI: AX2Q-A12U-F002-7F7N

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

creative ink

#### 1.3. Details of the supplier of the safety data sheet

Company Eli-Chem Resins UK Ltd

212 Dunsfold Park Stovolds Hill Cranleigh GU6 8GA (UK)

+44 (0) 1483 266636 (09:00 - 17:00 Mon-Thur / 09:00 - 16:00 Fri)

sales@elichem.co.uk

1.4. Emergency telephone

number: +44 (0) 1483 266636 (Office Hours Only)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

# Regulation (EC) No 1272/2008

#### Hazard components for labelling

propan-2-ol; isopropyl alcohol; isopropanol

1-methoxy-2-propanol; monopropylene glycol methyl ether

Signal word: Danger

Pictograms:







## **Hazard statements**

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

# **Precautionary statements**

P102 Keep out of reach of children.



according to Regulation (EC) No 1907/2006

Revision Date: 17.12.2021 Revision: 1 Supersedes Date: N/A

# Eli-Chem Alcohol Ink - Gold

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P403+P235 Store in a well-ventilated place. Keep cool. **Labelling of packages where the contents do not exceed 125 ml** 

Signal word: Danger

Pictograms:





**Hazard statements** 

H336

**Precautionary statements** 

P102-P271

#### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures



according to Regulation (EC) No 1907/2006

Revision Date: 17.12.2021 Revision: 1 Supersedes Date: N/A

# Eli-Chem Alcohol Ink - Gold

#### **Hazardous components**

Chemical name		Quantity	
EC No	Index No	REACH No	
Classification (Regulation (EC) No	1272/2008)		
propan-2-ol; isopropyl alcohol; isop	ropanol		50 - < 70 %
200-661-7	603-117-00-0		
Flam. Liq. 2, Eye Irrit. 2, STOT SE	3; H225 H319 H336		
1-Propoxy-2-propanol			5 - < 10 %
216-372-4		01-2119474443-37	
Flam. Liq. 3, Eye Irrit. 2; H226 H31	9		
1-methoxy-2-propanol; monopropyl	ene glycol methyl ether		5 - < 10 %
203-539-1	603-064-00-3		
Flam. Liq. 3, STOT SE 3; H226 H3	36		
Kupfer			5 - < 10 %
231-159-6		01-2119480154-42	
Acute Tox. 4, Eye Irrit. 2, Aquatic A	cute 1, Aquatic Chronic 1; H302 H3	19 H400 H410	
ethanol; ethyl alcohol			5 - < 10 %
200-578-6	603-002-00-5		
Flam. Liq. 2, Eye Irrit. 2; H225 H31	9		
zinc powder - zinc dust (stabilised)			1 - < 3 %
231-175-3	030-001-01-9		
Aquatic Acute 1, Aquatic Chronic 1	; H400 H410		
butanone; ethyl methyl ketone			< 0.1 %
201-159-0	606-002-00-3		
Flam. Liq. 2, Eye Irrit. 2, STOT SE	3; H225 H319 H336 EUH066		
	EC No Classification (Regulation (EC) No propan-2-ol; isopropyl alcohol; isop 200-661-7 Flam. Liq. 2, Eye Irrit. 2, STOT SE 1-Propoxy-2-propanol 216-372-4 Flam. Liq. 3, Eye Irrit. 2; H226 H31 1-methoxy-2-propanol; monopropyl 203-539-1 Flam. Liq. 3, STOT SE 3; H226 H3 Kupfer 231-159-6 Acute Tox. 4, Eye Irrit. 2, Aquatic A ethanol; ethyl alcohol 200-578-6 Flam. Liq. 2, Eye Irrit. 2; H225 H31 zinc powder - zinc dust (stabilised) 231-175-3 Aquatic Acute 1, Aquatic Chronic 1 butanone; ethyl methyl ketone 201-159-0	EC No Classification (Regulation (EC) No 1272/2008)  propan-2-ol; isopropyl alcohol; isopropanol  200-661-7	EC No

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	Limits, M-factors and ATE	
107-98-2	203-539-1	1-methoxy-2-propanol; monopropylene glycol methyl ether	5 - < 10 %
	dermal: LD50 =	11000 mg/kg; oral: LD50 = > 5000 mg/kg	
7440-50-8	231-159-6	Kupfer	5 - < 10 %
	oral: ATE = 500	mg/kg	

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

## After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

## After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

## After ingestion

Rinse mouth immediately and drink 1 glass of water.



according to Regulation (EC) No 1907/2006

Revision Date: 17.12.2021 Revision: 1 Supersedes Date: N/A

## Eli-Chem Alcohol Ink - Gold

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

#### Unsuitable extinguishing media

Water.

## 5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

## 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

# Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.



according to Regulation (EC) No 1907/2006

Eli-Chem Alcohol Ink - Gold

Revision Date: 17.12.2021 Revision: 1

Supersedes Date: N/A

# 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

#### 7.3. Specific end use(s)

creative ink

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m³	fib/cm³	Category	Origin
107-98-2	1-Methoxypropan-2-ol	100	375		TWA (8 h)	
		150	568		STEL (15 min)	
78-93-3	Butanone	200	600		TWA (8 h)	
		300	900		STEL (15 min)	

#### 8.2. Exposure controls









#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

# Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: Alcohol



according to Regulation (EC) No 1907/2006

Revision Date: 17.12.2021 Revision: 1 Supersedes Date: N/A

## Eli-Chem Alcohol Ink - Gold

Test method

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

78 °C

boiling range:

Flash point: 12 °C

**Flammability** 

Solid/liquid: not applicable
Gas: not applicable

**Explosive properties** 

The product is not: Explosive.

Lower explosion limits:not determinedUpper explosion limits:not determinedAuto-ignition temperature:not determinedDecomposition temperature:not determined

pH-Value: not determined Water solubility: not determined

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined

Vapour pressure: not determined

Vapour pressure: ASTM D 323

Density: 0,9 g/cm³
Relative vapour density: not determined

9.2. Other information

Information with regard to physical hazard classes

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Solvent content: 82,78 %
Solid content: not determined

Evaporation rate: not determined

**Further Information** 

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Highly flammable.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

No known hazardous reactions.

## 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.



according to Regulation (EC) No 1907/2006

Revision Date: 17.12.2021 Revision: 1 Supersedes Date: N/A

## Eli-Chem Alcohol Ink - Gold

## 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether						
	oral	LD50 mg/kg	> 5000	Rat	IUCLID		
	dermal	LD50 mg/kg	11000	Rabbit			
7440-50-8	Kupfer						
	oral	ATE mg/kg	500				

#### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# 11.2. Information on other hazards

# **Endocrine disrupting properties**

No information available.

## Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

Revision Date: 17.12.2021 Revision: 1 Supersedes Date: N/A

## Eli-Chem Alcohol Ink - Gold

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	Acute algae toxicity	ErC50 > 100 mg/l	72 h			
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether					
	Acute fish toxicity	LC50 4600 - 10000 mg/l	96 h	Leuciscus idus	IUCLID	
	Acute algae toxicity	ErC50 > 1000 mg/l	72 h	Selenastrum capricornutum		
	Acute crustacea toxicity	EC50 > 500 mg/l	48 h	Daphnia magna	IUCLID	

## 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether	-0,437

# 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

## Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1263
14.2. UN proper shipping name:	PAINT
14.3. Transport hazard class(es):	3
14.4. Packing group:	Ш
Hazard label:	3



according to Regulation (EC) No 1907/2006

Revision Date: 17.12.2021 Revision: 1 Supersedes Date: N/A

# Eli-Chem Alcohol Ink - Gold



Classification code: F1

Special Provisions: 163 367 650

Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 30
Tunnel restriction code: D/E

Marine transport (IMDG)

14.1. UN number or ID number:UN 126314.2. UN proper shipping name:PAINT14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Special Provisions: 163, 223, 367, 955

Limited quantity: 5 L

Excepted quantity: E1

EmS: F-E, S-E

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:UN 126314.2. UN proper shipping name:PAINT14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Special Provisions: A3 A72 A192

Limited quantity Passenger: 10 L
Passenger LQ: Y344
Excepted quantity: E1

IATA-packing instructions - Passenger: 355
IATA-max. quantity - Passenger: 60 L
IATA-packing instructions - Cargo: 366
IATA-max. quantity - Cargo: 220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

\*

Danger releasing substance: Kupfer

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

not applicable



according to Regulation (EC) No 1907/2006

Revision Date: 17.12.2021 Revision: 1 Supersedes Date: N/A

## Eli-Chem Alcohol Ink - Gold

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC): 82,782 % (745,034 g/l) 2004/42/EC (VOC): 82,782 % (745,034 g/l)

Information according to 2012/18/EU

(SEVESO III):

Additional information: P5c

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

E2 Hazardous to the Aquatic Environment

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern





according to Regulation (EC) No 1907/2006

Revision Date: 17.12.2021 Revision: 1

# Supersedes Date: N/A Eli-Chem Alcohol Ink - Gold

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

#### Classification for mixtures and used evaluation method according to regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure	
Flam. Liq. 2; H225	On basis of test data	
Eye Irrit. 2; H319	Calculation method	
STOT SE 3; H336	Calculation method	
Aquatic Chronic 2; H411	Calculation method	

# Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.