

according to Regulation (EC) No 1907/2006

# Eli-Chem Alcohol Ink – Vampire Red

| 1.1. Product identifier<br>Eli-Chem Alcohol Ink – Vampire | e Red   |
|---|---|
| UFI:  | R25Q-Y1AS-300E-RYT8   |
| 1.2. Relevant identified uses of the su                   | ubstance or mixture and uses advised against  |
| Use of the substance/mixture<br>creative ink              |   |
| 1.3. Details of the supplier of the safe                  | ety data sheet  |
| Company   | Eli-Chem Resins UK Ltd  |
|   | 212 Dunsfold Park   |
|   | Stovolds Hill   |
|   | Cranleigh   |
|   | GU6 8GA (UK)  |
|   | +44 (0) 1483 266636 (09:00 - 17:00 Mon-Thur / 09:00 - 16:00 Fri)<br>sales@elichem.co.uk |
|   | Sales @elicitem.co.uk   |
|   |   |

SECTION 1: Identification of the substance/mixture and of the company/undertaking

# <u>1.4. Emergency telephone</u>

<u>number:</u>

+44 (0) 1483 266636 (Office Hours Only)

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### Regulation (EC) No 1272/2008

Hazard components for labelling propan-2-ol; isopropyl alcohol; isopropanol 1-methoxy-2-propanol; monopropylene glycol methyl ether

Danger

# Signal word:

**Pictograms:** 



### Hazard statements

| H225 | Highly flammable liquid and vapour. |
|------|-------------------------------------|
| H319 | Causes serious eye irritation.      |
| H336 | May cause drowsiness or dizziness.  |

#### **Precautionary statements**

| P102 | Keep out of reach of children.  |
|------|---|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No |



according to Regulation (EC) No 1907/2006

# Eli-Chem Alcohol Ink – Vampire Red

|                     | smoking.  |
|---------------------|---|
| P271                | Use only outdoors or in a well-ventilated area.   |
| P280                | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| P403+P235           | Store in a well-ventilated place. Keep cool.  |
| Labelling of packag | jes where the contents do not exceed 125 ml   |
| Signal word:        | Danger  |
| Pictograms:         |   |
|                     |   |

Hazard statements H336 Precautionary statements

P102-P271

# 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### Hazardous components

| CAS No    | Chemical name                      | Quantity             |                  |             |
|-----------|------------------------------------|----------------------|------------------|-------------|
|           | EC No                              | Index No             | REACH No         |             |
|           | Classification (Regulation (EC)    | No 1272/2008)        |                  |             |
| 67-63-0   | propan-2-ol; isopropyl alcohol; is | sopropanol           |                  | 50 - < 70 % |
|           | 200-661-7                          | 603-117-00-0         |                  |             |
|           | Flam. Liq. 2, Eye Irrit. 2, STOT   | SE 3; H225 H319 H336 |                  |             |
| 1569-01-3 | 1-Propoxy-2-propanol               |                      |                  | 5 - < 10 %  |
|           | 216-372-4                          |                      | 01-2119474443-37 |             |
|           | Flam. Liq. 3, Eye Irrit. 2; H226 H |                      |                  |             |
| 107-98-2  | 1-methoxy-2-propanol; monopro      | 5 - < 10 %           |                  |             |
|           | 203-539-1                          | 603-064-00-3         |                  |             |
|           | Flam. Liq. 3, STOT SE 3; H226      |                      |                  |             |
| 64-17-5   | ethanol; ethyl alcohol             |                      |                  | 5 - < 10 %  |
|           | 200-578-6                          | 603-002-00-5         |                  |             |
|           | Flam. Liq. 2, Eye Irrit. 2; H225 H |                      |                  |             |
| 78-93-3   | butanone; ethyl methyl ketone      |                      |                  | < 0.1 %     |
|           | 201-159-0                          | 606-002-00-3         |                  |             |
|           | Flam. Liq. 2, Eye Irrit. 2, STOT   |                      |                  |             |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No   | EC No Chemical name |   | Quantity   |
|----------|---------------------|---|------------|
|          | Specific Conc. I    | Limits, M-factors and ATE                               |            |
| 107-98-2 | 203-539-1           | 1-methoxy-2-propanol; monopropylene glycol methyl ether | 5 - < 10 % |
|          | dermal: LD50 =      | 11000 mg/kg; oral: LD50 = > 5000 mg/kg                  |            |

### **SECTION 4: First aid measures**



# Eli-Chem Alcohol Ink – Vampire Red

#### 4.1. Description of first aid measures

### After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink 1 glass of of water.

#### Most important symptoms and effects, both acute and delayed 4.2. No information available.

#### Indication of any immediate medical attention and special treatment needed <u>4.3.</u> Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

#### Unsuitable extinguishing media

Water.

### 5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

#### 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**



# Eli-Chem Alcohol Ink – Vampire Red

### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

#### 7.3. Specific end use(s)

creative ink

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Occupational exposure limit values

| CAS No   | Name of agent        | ppm | mg/m³ | fib/cm <sup>3</sup> | Category      | Origin |
|----------|----------------------|-----|-------|---------------------|---------------|--------|
| 107-98-2 | 1-Methoxypropan-2-ol | 100 | 375   |                     | TWA (8 h)     |        |
|          |                      | 150 | 568   |                     | STEL (15 min) |        |
| 78-93-3  | Butanone             | 200 | 600   |                     | TWA (8 h)     |        |
|          |                      | 300 | 900   |                     | STEL (15 min) |        |

### 8.2. Exposure controls









#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.



according to Regulation (EC) No 1907/2006

# Eli-Chem Alcohol Ink – Vampire Red

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

### Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing

### **SECTION 9: Physical and chemical properties**

| 9.1. Information on basic physical and che                | mical properties |                           |             |
|---|------------------|---------------------------|-------------|
| Physical state:   | Liquid           |                           |             |
| Colour:   | dark red         |                           |             |
| Odour:  | Alcohol          |                           |             |
|   |                  |                           | Test method |
| Changes in the physical state                             |                  |                           |             |
| Melting point/freezing point:                             |                  | not determined            |             |
| Boiling point or initial boiling point and boiling range: |                  | 78 °C                     |             |
| Flash point:  |                  | 12 °C                     |             |
| Flammability  |                  |                           |             |
| Solid/liquid:   |                  | not applicable            |             |
| Gas:  |                  | not applicable            |             |
| Explosive properties<br>The product is not: Explosive.    |                  |                           |             |
| Lower explosion limits:                                   |                  | not determined            |             |
| Upper explosion limits:                                   |                  | not determined            |             |
| Auto-ignition temperature:                                |                  | not determined            |             |
| Decomposition temperature:                                |                  | not determined            |             |
|   |                  |                           |             |
| pH-Value:   |                  | not determined            |             |
| Water solubility:   |                  | easily soluble            |             |
| Solubility in other solvents<br>not determined            |                  |                           |             |
| Partition coefficient n-octanol/water:                    |                  | not determined            |             |
| Vapour pressure:  |                  | not determined            |             |
| Vapour pressure:  |                  |                           | ASTM D 323  |
| Density:  |                  | 0,85 g/cm <sup>3</sup>    |             |
| Relative vapour density:                                  |                  | not determined            |             |
| 9.2. Other information                                    |                  |                           |             |
| Information with regard to physical haz                   | ard classes      |                           |             |
| Sustaining combustion:                                    |                  | Not sustaining combustion |             |
| Oxidizing properties                                      |                  |                           |             |
| The product is not: oxidising.                            |                  |                           |             |
| Other safety characteristics                              |                  |                           |             |
| Solvent content:  |                  | 89,39 %                   |             |
| Solid content:  |                  | not determined            |             |
| Evaporation rate:   |                  | not determined            |             |
| Further Information                                       |                  |                           |             |



according to Regulation (EC) No 1907/2006

# Eli-Chem Alcohol Ink – Vampire Red

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Highly flammable.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No   | Chemical name                             | Chemical name   |        |        |        |  |  |  |
|----------|---|---|--------|--------|--------|--|--|--|
|          | Exposure route Dose Species Source Method |   |        |        |        |  |  |  |
| 107-98-2 | 1-methoxy-2-propanol;                     | 1-methoxy-2-propanol; monopropylene glycol methyl ether |        |        |        |  |  |  |
|          | oral                                      | LD50<br>mg/kg   | > 5000 | Rat    | IUCLID |  |  |  |
|          | dermal                                    | LD50<br>mg/kg   | 11000  | Rabbit |        |  |  |  |

### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

### **Endocrine disrupting properties**

No information available.

### Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].



### according to Regulation (EC) No 1907/2006

# Eli-Chem Alcohol Ink – Vampire Red

### **SECTION 12: Ecological information**

### 12.1. Toxicity

The product is not: Ecotoxic.

| CAS No   | Chemical name   |                           |           |                              |        |        |  |
|----------|---|---------------------------|-----------|------------------------------|--------|--------|--|
|          | Aquatic toxicity  | Dose                      | [h]   [d] | Species                      | Source | Method |  |
| 67-63-0  | propan-2-ol; isopropyl alco                             | hol; isopropanol          | -         | -                            |        |        |  |
|          | Acute algae toxicity ErC50 > 100 72 h<br>mg/l           |                           |           |                              |        |        |  |
| 107-98-2 | 1-methoxy-2-propanol; monopropylene glycol methyl ether |                           |           |                              |        |        |  |
|          | Acute fish toxicity                                     | LC50 4600 -<br>10000 mg/l | 96 h      | Leuciscus idus               | IUCLID |        |  |
|          | Acute algae toxicity                                    | ErC50 > 1000<br>mg/l      | 72 h      | Selenastrum<br>capricornutum |        |        |  |
|          | Acute crustacea toxicity                                | EC50 > 500<br>mg/l        | 48 h      | Daphnia magna                | IUCLID |        |  |

### 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

### Partition coefficient n-octanol/water

| CAS No   | Chemical name   | Log Pow |
|----------|---|---------|
| 107-98-2 | 1-methoxy-2-propanol; monopropylene glycol methyl ether | -0,437  |

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The product has not been tested.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria. No information available.

#### 12.7. Other adverse effects

No information available.

### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### **Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**



# Eli-Chem Alcohol Ink – Vampire Red

Revision Date: 28.12.2021 Revision: 1 Supersedes Date: N/A

| Land transport (ADR/RID)   |                    |      |
|--|--------------------|------|
| 14.1. UN number or ID number:                                      | UN 1263            |      |
| 14.2. UN proper shipping name:                                     | PAINT              |      |
| 14.3. Transport hazard class(es):                                  | 3                  |      |
| 14.4. Packing group:   | III                |      |
| Hazard label:  | 3                  |      |
|  |                    |      |
| Classification code:   | F1                 |      |
| Special Provisions:  | 163 367 650        |      |
| Limited quantity:  | 5 L                |      |
| Excepted quantity:   | E1                 |      |
| Transport category:  | 3                  |      |
| Hazard No:   | 30                 |      |
| Tunnel restriction code:   | D/E                |      |
| Marine transport (IMDG)  |                    |      |
| 14.1. UN number or ID number:                                      | UN 1263            |      |
| 14.2. UN proper shipping name:                                     | PAINT              |      |
| 14.3. Transport hazard class(es):                                  | 3                  |      |
| 14.4. Packing group:   | I                  |      |
| Hazard label:  | 3                  |      |
|  |                    |      |
|  |                    |      |
| Special Provisions:  | 163, 367           |      |
| Limited quantity:  | 5 L                |      |
| Excepted quantity:   | E2                 |      |
| EmS:   | F-E, S-E           |      |
| Air transport (ICAO-TI/IATA-DGR)                                   |                    |      |
| 14.1. UN number or ID number:                                      | UN 1263            |      |
| 14.2. UN proper shipping name:                                     | PAINT              |      |
| 14.3. Transport hazard class(es):                                  | 3                  |      |
| 14.4. Packing group:   | 11                 |      |
| Hazard label:  | 3                  |      |
|  |                    |      |
| Special Provisions:  | A3 A72 A192        |      |
| Limited quantity Passenger:  | 1 L                |      |
| Passenger LQ:  | Y341               |      |
| Excepted quantity:   | E2                 |      |
| IATA-packing instructions - Passenger:                             |                    | 353  |
| IATA-max. quantity - Passenger:                                    |                    | 5 L  |
| IATA-packing instructions - Cargo:                                 |                    | 364  |
| IATA-max. quantity - Cargo:  |                    | 60 L |
| 14.5. Environmental hazards  |                    |      |
| ENVIRONMENTALLY HAZARDOUS:   | No                 |      |
| 14.6. Special precautions for user<br>Warning: Combustible liquid. |                    |      |
| 14.7. Maritime transport in bulk according t                       | o INIO Instruments |      |



according to Regulation (EC) No 1907/2006

# Eli-Chem Alcohol Ink – Vampire Red

not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): 89,392 % (759,828 g/l) 89,392 % (759,828 g/l) P5c FLAMMABLE LIQUIDS

work protection guideline' (94/33/EC).

2 - obviously hazardous to water

Observe restrictions to employment for juveniles according to the 'juvenile

### National regulatory information

Employment restrictions:

Water hazard class (D):

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

Abbreviations and acronyms CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service **DNEL: Derived No Effect Level** DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration. 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu



# Eli-Chem Alcohol Ink – Vampire Red

### Classification for mixtures and used evaluation method according to regulation (EC) No. 1272/2008 [CLP]

| Classification     | Classification procedure |
|--------------------|--------------------------|
| Flam. Liq. 2; H225 | On basis of test data    |
| Eye Irrit. 2; H319 | Calculation method       |
| STOT SE 3; H336    | Calculation method       |

### Relevant H and EUH statements (number and full text)

| H225   | Highly flammable liquid and vapour.                   |
|--------|---|
| H226   | Flammable liquid and vapour.                          |
| H319   | Causes serious eye irritation.                        |
| H336   | May cause drowsiness or dizziness.                    |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.